



Model E  Type-C

# Solar Charging Panel

Connect your EZVIZ battery-powered camera to our Weatherproof Solar Panel to capture the sun's free, clean energy – and enjoy year-round security.

*Designed for EZVIZ Battery Cameras with Type-C Charging Ports<sup>1</sup>: CS-EB8.*



Energy-saving and Eco-friendly Solar Power Supply



High Efficiency with Monocrystalline Silicon Cell Solution



Up to 6.18 W of Charging Power for a Long-lasting Supply



4-Meter Cable for Mounting Flexibility



IP65 Weatherproof Protection for Outdoor Use



## Non-stop protection

---

Made of single crystalline silicon solar cells, the solar panel delivers up to 6.18 W of power. It will max out on sunny days to make sure the battery camera has enough power to operate all day and night.<sup>2</sup>



## Weatherproof design

---


Featuring a durable frame and stainless steel screws, the solar panel easily withstands rain, dust, snow and sun. Just mount it, leave it, and enjoy the sun's continual power.



## Flexible installation

---

With an adjustable bracket that rotates 360 degrees and a 4-meter-long cable, the Solar Panel offers incredible flexibility. Mount your security camera where you need it, then find a sunny spot to install the solar panel. With 4 meters (13 feet) of cable, you will get the flexibility you need for great security and continual power.



1 Currently compatible with the CS-EB8 model. Product compatibility will expand as we launch more battery cameras that support type-c charging in the near future.

Please check product compatibility before purchasing.

2 The charging efficiency may vary based on different environmental factor and the usage of the camera.

# Specifications CS-CMT-Solar Panel-E

## Performance Parameter\*

Power voltage	6V ± 5%
Max. Power current	1030 mA ± 5%
Max. Power	6.18 W
Transformation efficiency	21.6%
Operation temperature	-20°C - 60°C (-4°F - 140°F); Humidity 90% or less (non-condensing)
IP Grade	IP65

\*Data from EZVIZ Lab's test results under standard testing conditions (STC): 1000W/m<sup>2</sup>, AM1.5, 25°C, (38000-40000 LUX)

## Mechanical Data


Manufacturing Process	Monocrystalline solar cells, PET laminated wood
Product Dimensions	283.7 × 185.7 × 2.4 mm (11.17 × 7.31 × 0.09 inch)
Packaging Dimensions	300 × 202.5 × 78 mm (11.81 × 7.97 × 3.07 inch)
Net Weight	484g (17.07 oz)
With Package	854g (30.12 oz)

## In the box

- EZVIZ Solar Panel-E
- Adjustable Mounting Bracket
- Screw Kit
- Drill Template
- Quick Start Guide

## Certifications

RoHS / WEEE / REACH / EMC

Specifications are subject to change without notice. "  ", "EZVIZ" and other EZVIZ's trademarks and logos are the properties of EZVIZ in various jurisdictions. Other brands and product names are trademarks or registered trademarks of their respective holders.